

Google scholar

format retrieving access request operations "d"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)Scholar - Results **31 - 60** of atComputer based records management system method

JJ Johnson, JR McElroy Jr - US Patent 5,813,009, 1998 - Google Patents

... In particular, the invention concerns computer based systems and methods for, inter alia, capturing, retaining, **retrieving**, tracking and/or disposing of ... As required in the course of business, warehoused boxes 25 are recalled from the archival facility as **access** to the paper ...[Cited by 53](#) - [Related articles](#) - [All 2 versions](#)Idle demount in an automated storage library

JC Hartung, DL Patton, DL Willson, DJ ... - US Patent ..., 1993 - Google Patents

... 23, 1993 Sheet 6 of 10 250 **REQUEST** } PATH **FORMAT** VALID NO YES (252 EXTRACT ... of fiimg) storing, and one or more central processing units and a memory **retrieving** such paper ... be capable of storing data re- which must ^ retrieved manuall when **access** thereto quired by ...[Cited by 27](#) - [Related articles](#) - [All 2 versions](#)Self-disentangling data storage technique

J Wilkes - US Patent App. 09/927,163, 2001 - Google Patents

... of the media 100 to understand its content, even if, for example, the directory **format** of operating ... What is claimed is: 1. A method of **retrieving** data from a **data storage media** comprising: a ... **request** type for **access** to the **data storage media**; b. receiving a **request** for **access** to **data** ...[All 2 versions](#)Automated storage library.

KE Dimitri, DL Willson - 1993 - freepatentsonline.com

... WO/1990/007182A1, METHOD OF **RETRIEVING** DATA CARRIERS FROM DATA-CARRIER ARCHIVES. ... Any **format** may be used for the internal data structures, as such **format** is not part of ... **operation**, one of the library controllers 17A and 17a receives a **request** to **access** data in ...[All 2 versions](#)Maximising hit ratio in a data storage hierarchy.

LD Willson, DJ Winarski - 1993 - freepatentsonline.com

... The cost of filing, storing, and **retrieving** such paper documents including image data is escalating ... The precise recording **format** is not part of the subject invention and may be any ... volume mount **request** or, alternatively, caching can be used to continue **access** without remounting ...MULTIPLE STEP DATA READ APPARATUS

J BELSAN, CA Milligan - No.: WO/1991/006053, 1991 - freepatentsonline.com

... responds to a **request** to read data that spans a plurality of track sectors by **retrieving** the data ... **Algorithms** running in the control unit 104 predicts which data the host will **access** so that data can ... of a typical data storage track is illustrated in Table 1 and Figure 3. This **format** is the ...[All 4 versions](#)Hierarchical data storage system.

TW Beglin, KM Fountain - 1992 - freepatentsonline.com

... The console door 7 can be swung aside to allow **access** therebehind. ... OSR 23 provides an application program interface for storing, **retrieving**, and deleting individual objects. ... is set then the optical disk containing that volume is reformatted by issuing a **FORMAT** command to the ...[All 2 versions](#)

Storage media status maintainer.

WT Burke, LW Leon, RK Rolfe - 1992 - freepatentsonline.com

... to **access** said addressable data-storing areas 23 for effecting said storing and **retrieving**; allocation program ... be programmed in large part in a host processor Main memory or random **access** memory (RAM ... Each of the addressable data-storing areas 23 have the same **format**. ...

[All 2 versions](#)

Tape data storage cartridge with memory

S Rae, MR Watkins, PF Bartlett - 1999 - freepatentsonline.com

... recording information on the memory so as to improve the efficiency of **retrieving** information stored ... **Format** Identification Data Set (FID), ie data which identifies a recording **format** used; user ... Write protection means that the **access** condition to the specified block is switched from ...

[All 2 versions](#)

Apparatus and method for accessing data in a data processing system including an ...

CJ Monahan, ML Monahan, DL Willson, LD Willson - 1991 - freepatentsonline.com

... The cost of filing, storing, and **retrieving** such paper documents including image data is escalating ... environment is used to **access** files in library 1. The path **format** is shown ... next volume mount **request** or, alternatively, caching can be used to continue **access** without remounting. ...

[All 4 versions](#)

Source verification using images

WAL Johnson, DA Henderson Jr - US Patent 5,859,935, 1999 - Google Patents

... to a user; further, the machine could use the source verifying image to **access** the stored ... The **operation** per- formed when a match occurs can include accessing the related item of data ... The document could be stored in response to a **request** that accompanies a source verifying ...

[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

Caching apparatus and method for enhancing retrieval of data from an optical ...

BW Schafer, JW Teeters, MC Chweh, DA Lee, ... - US Patent ..., 2000 - Google Patents

... 42 Claims, 21 Drawing Sheets Computer Processing Unit •« - -- Random **Access** Memory J ^r< ^_ Page 2. ... 9/1994 Barratt 711/131 "A Continuum of Disk Scheduling **Algorithms**", Robert 10/1994 Macon, Jr. et al 711/144 Geist; Stephen Daniel, 1987. ...

[Cited by 5](#) - [Related articles](#)

Self-cleaning automated storage library.

DL Patton, DJ Winarski - 1992 - freepatentsonline.com

... The cost of filing, storing, and **retrieving** such paper documents including image data is escalating ... The precise recording **format** is not part of the subject invention and may be any ... 10 cannot be accomplished without manual assistance because picker 5 cannot **access** such drive ...

[All 2 versions](#)

Integrating HIS–RIS–PACS: the Freiburg experience

E Kotter, M Langer - European Radiology, 1998 - Springer

... of media, thus reducing robot motions and increasing perfor- mance while **retrieving** images [13]. ... The **access** to the hospital-wide multimedia patient record allows the integration of clinical ... It also contains the diagnosis- relevant images in a reduced **format** (smaller image ma- trix ...

[Cited by 25](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

Method for deleting objects from library resident optical disks by accumulating ...

TW Beglin, KM Zelazny - US Patent 5,325,523, 1994 - Google Patents

... Similarly, a read **request** free of that vo,lume and the wrfte st is is serviced by mountingthe correct volume ... OSR 23 provides an application program interface for storing, **retrieving**, and deleting individual objects ... The console door 7 can be swung aside to allow **access** therebehind ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

Address mark triggered read/write head buffer

RE Dean, SC Cacka, DP Schaefer, HF Sevvom ... - US Patent ..., 1994 - Google Patents
 ... track is written into the read/write buffer enables the processor both to have **access** to a ... key rotating media 111-0 to 11-15 and stored in buffer 207 data **format** well known in ... **data storage media** 50 that contains said requested data record into said buffer; **retrieving**, hi response to ...
[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

Peer-to-peer backup system with failure-triggered device switching honoring ...

BC Beardsley, JL Iskiyan, WF Micka, HM ... - US Patent ..., 2001 - Google Patents
 ... HOSTS REQUESTING DEVICE SWAP 1030 -1035 ALL HOSTS RECEIVE **REQUEST**?/ FAIL **OPERATION** ... FOR PRIMARY AND SECONDARY DEVICES, DEVICE TYPE, MODEL, AND **FORMAT** 1180 I ... **Access to data stored** on DASD is slower than electronic memory due to the ...
[Cited by 11](#) - [Related articles](#) - [All 2 versions](#)

System and method for intermediating communication with a moveable media ...

PT Camble, S Gold, D Stolle - US Patent App. 10/034,580, 2001 - Google Patents
 ... The robotics subsystem may perform the mechanical **operations** of **retrieving** the particular tape cartridge from a ... may be enforced by enabling only authorized host systems to **access** respective partitions ... the representation of system resource table 201 is not limited to this **format**. ...
[Related articles](#) - [All 5 versions](#)

Methods and apparatus for archiving, indexing and accessing audio and video ...

J Yogeshwar, SA Martucci, BR Gupta, MR ... - US Patent App. 09/ ..., 2001 - Google Patents
 ... the material be delivered in its original, or close to original, **format** or a different **format**. ... The ability to index, easily **access**, and accurately reproduce data which is stored digitally makes ... This may be achieved by performing digital sampling **operations** on the analog audio/video ...
[Related articles](#) - [All 5 versions](#)

Preemptive demount in an automated storage library

JC Hartung, CJ Monahan, JL Thrall, DL ... - US Patent RE36, ..., 1999 - Google Patents
 ... 17 FORCE ALLOCATE 520 X **REQUEST**) 522 nfti • r*u ^ ^^v. NO AVAILABLE INACTIVE DRIVE ... data Is stIU stored on P3I** The cost of fiUnS- storin\$- and 20 **retrieving** such paper ... computers require a host processor including one be retrieved manually when **access** thereto is ...
[Cited by 12](#) - [Related articles](#) - [All 4 versions](#)

Multi-media-type automatic libraries

JE Kulakowski, RJ Means - US Patent 5,303,214, 1994 - Google Patents
 ... (291 (»/ CONTROL 30 ANALYZES **REQUEST** TO VERIFY REMOVAL o^NO ^ERR vn ^p YES (282 L 1 ^^#92\ (293 RETURN WAND TO 1 STORAGE POSITION | >^ ^ KEEP DOOR 1 ^ LOCKED 1\ (283 ; PICK CARTRIDGE OPEN DOOR TO I **ACCESS** BIN 1 JL (.39* 5 (295 ...
[Cited by 49](#) - [Related articles](#) - [All 2 versions](#)

Transparent library management

CJ Monahan, ML Monahan, DL Willson, LD ... - US Patent ..., 1995 - Google Patents
 ... paper, microfilm, or microfiche processor, and a program product and path **format** requiring manual ... The processor manipulates **data stored** in the **retrieving** such paper documents including image data ... a plurality of eral storage devices and include magnetic direct **access** fi ^ Qr ...
[Cited by 14](#) - [Related articles](#) - [All 2 versions](#)

Non-volatile data storage to cell-based switch fabric interface

RC Phillips, MD Loffredo - US Patent App. 09/750,585, 2000 - Google Patents
 ... data to cell data formatting circuit that converts retrieved raw data into cell **format** suitable for ... The new interface includes a drive controller that is responsible for at least **retrieving** data from a ... For example, when an initial **request** from a user for a new information asset is received ...
[All 4 versions](#)

Method of simulating ultrasonic inspection of flaws

MF Fleming, S Hersh, SN Liu - US Patent 5,337,611, 1994 - Google Patents

... the X, Y and skew data relating to a spe- US PATENT DOCUMENTS cific waveform and a specific flaw in a unique **format** in 3,063,290 ... These are stored in a data time delay in **retrieving** the data from the memory; in acquisition system (DAS) 13 in the form of ... 30 for rapid **access**. ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Method and apparatus for operating on an object-based model data structure to ...

MC Stone, A DeRose - US Patent 5,596,690, 1997 - Google Patents

... 21, 1997 Sheet 7 of 40 12 Receive display **request** to display viewing **operation** region (VOR) co-extensive with first image segment **Access** criteria selection data item indicating object selection criteria information Obtain object data item from first image model data structure ...

[Cited by 20](#) - [Related articles](#) - [All 2 versions](#)

Analyzing an image of a document using alternative positionings of a class of ...

WAL Johnson - US Patent 5,850,490, 1998 - Google Patents

... 15, 1998 Sheet 3 of 16 5,S5U,4' 60 Alternative Position Data _ ^ 80 82 Instructions: - Receive Image Set Showing Document - - - Obtain Alternative Identifier - Obtain Segment Data r" r94 r96 r98 Fax Printer Display Network ^ it * 4 '— 'i r-1 r— ' ^ r i " i Storage **Access** Medium _ ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

Infrastructure and method for supporting generic multimedia metadata

L Min, MD Stokes, GK Wong - US Patent App. 09/732,620, 2000 - Google Patents

... within applications substan- tially limit the potential utility of multimedia applications with regard to **retrieving** and presenting ... to a simple and consistent interface, provided in the form of API's 218, to **access** metadata without knowledge of a particular metadata file **format**. ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

System and method for portable implantable device interrogation

JD Snell - US Patent 6,263,245, 2001 - Google Patents

... INTERRO- GATION 600 Tx INTERROGATION INSTRUCTIONS TO MEDICAL DEVICE Rx INTERROGATION INSTRUCTIONS AND **FORMAT** ACQUIRE REQUESTED ... memory at the portable medical data communications device; and, based on a **request** to **access** the stored ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Computer network debit disk used for prepayment to transfer information from a ...

H Berlin, JW Bochsler - US Patent 5,915,093, 1999 - Google Patents

... Martin, McClain Haller & [57] ABSTRACT A method and system for **retrieving** a selected ... 22,1999 Sheet 7 of 7 126 BALANCE \ NO DEBIT **ACCESS** UNIT BALANCE READ REMOTE COMPUTER URL 128 130 CONSTRUCT HTTP **REQUEST** WITH AUTHORIZATION ...

[Cited by 8](#) - [Related articles](#) - [All 3 versions](#)

Embedding encoded information in an iconic version of a text image

DS Bloomberg - US Patent 5,761,686, 1998 - Google Patents

... block Store computed encoded data block length 248 242 243 ^244 246 247 **Format** blocks in ... Signal Source Input Circuitry Image Input Circuitry 152 ^ V 56 Processor Storage Medium **Access** Device Image Reduction Instructions Encoding **Operation** Instructions 122 ...

[Cited by 26](#) - [Related articles](#) - [All 2 versions](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

format retrieving access request operations "data stored" "archival format" OR OR OR C...

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google